NOT AN OFFICIAL RECORD
For informational purposes only

FED. ROAD DIV. NO.	STATE	PROJECT NO.	FISCAL YEAR	SHEET NO.
3	FLA.	06503-2601		5

5-5

T.34S.-R.27E.

SCALE: 50'

2 1 / 16 — 22 / 15 — 3" x 3" C.M. Sec. Cor.

2830.32'(F)

R/W LINE

395

40'

MAINT. R/W LINE

4" HOGWIRE, 1 STR. BIW

400

22.5'

30.0'

20.0'

24.5'

74.5'

40'

MAINT. R/W LINE

5 STR. BIW

R/W LINE

Wood Gate

405

N 25°01'26" W

VE SURVEY

Wood Gate

150°39'50"

R/W Line

4" Hogwire, 1 Str. BIW

MAINT. R/W LINE

410

40'

40'

MAINT. R/W LINE

5 STR. BIW

R/W Line

2484.26'(F)

STA. 405+87.94

16 / 9 — 15 / 10 — 4" x 4" C.M. Sec. Cor.

SEC. 16, T.34S, R.27E

SCALE: 50'

BEGIN R/W TRANSITION RT & LT STA 410+00

END R/W TRANSITION RT & LT STA 415+20.80

410

40'

40'

4" HOGWIRE, 1 STR. BIW

MAINT. R/W LINE

MAINT. R/W LINE

5 STR. BIW

N 25°01'26" W

45'

22'

30'

24.5'

415

P.C.

3°00' CURVE RT.

110'

60'

VE SURVEY

CURVE DATA
P.I. STA. 415+66.75
Δ = 13°29'40" RT.
D = 3°00'
T = 225.95'
L = 449.81'
R = 1908.86'
P.C. STA. 413+20.80
P.T. STA. 417+70.61

GRASS

POND

6" Bors, 10' Top Canal

4" Hogwire, 1 Str. BIW

MAINT. R/W LINE

P.T.

38.5'

38.5'

420

RIW LINE

N 11°31'46" W

25.5'

MAINT. R/W LINE

45'

50'

2.5 STR. BIW

RIW LINE

WET WEATHER AREA

Note: ⊙ R/W Mrk.--
Symbol For Permanent R/W Marker
See Sheet No 1 For Details

INSERT
PARNELL ROAD

(F) INDICATES FIELD DIMENSION.

STATE OF FLORIDA
STATE ROAD DEPARTMENT

RIGHT OF WAY MAP

STATE ROAD NO. S-671 HARDEE COUNTY

	BY	DATE	APPROVED BY	DATE
DRAWN	L.R.J.	3-9-67		
TRACED	R.L.H.	4-6-67	DISTRICT ENGINEER	
CHECKED	D.C.	4-25-67	THOMAS S. KNOX	9-20-71
COMPARED	P. CANNAN	9-16-71	ENGINEER OF RIGHTS OF WAY	
INDEXED			STATE HIGHWAY ENGINEER	

R.R.W.M. # Note MLD 11-7-72
REVISION BY DATE

SECTION. 06503-2601 SHEET 5 OF

NOT AN OFFICIAL RECORD
For informational purposes only

FED. ROAD DIV. NO.	STATE	PROJECT NO.	FISCAL YEAR	SHEET NO.
3	FLA.	06503-2601		6

5-6

T34S-R27E

SCALE: 50'

END CHANNEL CHANGE Lt.
STA. 2+25.00

RIW LINE

420

425

430

44' Hdwires, 1 Sta. B/W
& Maint. R/W Line

O.G.P.

℄ SURVEY

N 11°31'46"W

Maint. R/W Line
5 Sta. B/W

RIW LINE

WET WEATHER AREA

PIT

BEGIN ℄ CHANNEL CHANGE Rt & Lt.
STA. 430+36.00 ℄ SURVEY
= STA. 0+00 ℄ CHANNEL CHANGE Rt. & Lt.

Easement R/W Line

80'

20' Bottom Creek

S 78°28'14" W

℄ CHANGE

200'

10-Span Wood Bridge

4"x4" C.M.
S.W. Cor. S.E. ¼
Sec. 9

1912.55 (M)
Sta. 437+80.82

44' Hdwires, 1 Sta. B/W
& Maint. R/W Line
& RIW LINE

77°54'00"

422+76.00
G.T.O.

℄ CHANNEL

N 78°28'14" E

25' Bottom Creek

Easement R/W Line

73.0'

24.73' (M)

140'

R/W Line

RIW LINE ℄
Maint. R/W Line
5 Sta. B/W

4"x4" C.M.
S. Sec. Cor.

END CHANNEL CHANGE Rt.
STA. 2+25.00

SEC. 9, T34S, R27E

SCALE: 50'

435

440

℄ Maint. R/W Line
R/W Line

44' Hdwires, 1 Sta. B/W

5 Sta. B/W

℄ SURVEY

N 11°31'46"W

R/W Line

20' Top, 15' Bottom Canal

5 Sta. B/W
10' Bottom, 14' Top Canal

5 Sta. B/W

Spoil Bank
5' in, 15' Bottom
14' Top, 10' Bottom Ditch

6 Yr. Citrus Grove

Maint. R/W Line

R/W Line

Begin R/W Transition Rt.
Sta. 439+00.00

End R/W Transition Rt.
Sta. 441+00.00

R/W Change Rt.
Sta. 431+36.00

Begin R/W Transition Rt.
Sta. 432+00.00

End R/W Transition Rt.
Sta. 433+00.00

Note: ⊙ R/W Mrk. --
Symbol for Permanent R/W Marker
See Sheet No. 1 For Details

INSERT
PARNELL ROAD

(F) INDICATES FIELD DIMENSION.

STATE OF FLORIDA
STATE ROAD DEPARTMENT

RIGHT OF WAY MAP

STATE ROAD NO. S-671 HARDEE COUNTY

	By	Date
DRAWN	L.R.J.	3-10-67
TRACED	R.L.H.	4-7-67
CHECKED	D.C.	4-25-67
COMPARED	R. Cannon	9-16-71
INDEXED		

APPROVED BY: E. P. Mott, Dist. Engr. — DATE: 7-20-71
DISTRICT ENGINEER
THOMAS O. RUSH — ENGINEER OF RIGHTS OF WAY
STATE HIGHWAY ENGINEER

R.R.W.M. & Note | M.L.D. | 1-17-73
REVISION | BY | DATE

SECTION. 06503-2601 SHEET 6 OF

FED. ROAD DIV. NO.	STATE	PROJECT NO.	FISCAL YEAR	SHEET NO.
3	FLA.	06503-2601		7

5-7

SEC. 9, T34S, R27E

SCALE: 50'

R/W Line

MAINT. R/W LINE

5 STR. B/W

445

N 11°31'46"W

50'

22'

22'

6.3 STA

450

1°00' CURVE LT.

℄ SURVEY

6 YEAR CITRUS GROVE

MAINT. R/W LINE

MAINT. R/W LINE

1961-R47

WET WEATHER AREA

SEE DRAINAGE EASEMENT SHEET Nº 14

STA 455+60.00

R/W Line

455

50'

N23°10'16"W

50'

R/W Line

Begin R/W Transition Rt & Lt Sta. 456+00.00

③ CURVE DATA
P.I. STA. 449+30.64
Δ = 11°38'30" LT.
D = 1°00'
T = 584.09'
L = 1164.17'
R = 5729.58'
P.C. STA. 443+46.55
P.T. STA. 455+10.72

SEC. 9, T34S, R27E

SCALE: 50'

1" I.P. S.W. Cor. N.W. ¼ Sec. 9

3784.13' (F)

66°18'20"

460

465

N23°10'16"W

℄ SURVEY

WET WEATHER AREA

R/W Line

400'

45'

45'

R/W Line

R/W Line

BAYHEAD

50'

50'

45'

45'

12° TOE & BOTTOM SLOPE

R/W Line

BAYHEAD

Begin R/W Transition Rt & Lt Sta. 456+00.00

End R/W Transition Rt & Lt Sta. 458+00.00

1488.08' (F) Sta 459+52.00

4" x 4" C.M. S.E. Cor. N.E. ¼ Sec. 9

Note: ⊙ R/W Mark--- Symbol for Permanent R/W Marker. See Sheet Nº 1 for Details

INSERT PARNELL ROAD

(F) INDICATES FIELD DIMENSION.

STATE OF FLORIDA
STATE ROAD DEPARTMENT

RIGHT OF WAY MAP

STATE ROAD No. 5-671 HARDEE COUNTY

	BY	DATE
DRAWN	L.R.J.	3-13-67
TRACED	R.L.H.	4-10-67
CHECKED	D.C.	4-26-67
COMPARED	D. CANNON	9-16-71
INDEXED		

APPROVED BY: [signature] DISTRICT ENGINEER — DATE 9-20-71

[signature] ENGINEER OF RIGHTS OF WAY

STATE HIGHWAY ENGINEER

REVISION	BY	DATE
R/W'n & Note	MLD	1-17-75

SECTION 06503-2601 SHEET 7 OF

NOT AN OFFICIAL RECORD
Copy for informational purposes only.

NOT AN OFFICIAL RECORD
For informational purposes only

FED. ROAD DIV. NO.	STATE	PROJECT NO.	FISCAL YEAR	SHEET NO.
3	FLA.	06503-2601		8

5-8

SEC. 9, T34S, R27E
Scale: 50'

WET WEATHER AREA

R/W Line

45'

45'

470

475

℄ SURVEY

N 23°10'16"W

12' Borrow, 6' Top Ditch

3 Str. B.W.F.

480

BAYHEAD

Begin R/W Transition Lt.
Sta. 483 + 00.00

T34S, R27E
Scale: 50'

8 5
9 4

2" I.P. Sec. Cor.

2659.88' (M)
℄ Sta. 480 + 32.32

4"x4" C.M. N.E. Cor. N½W½ Sec. 9

180°01'50"

490

℄ SURVEY

N 0°00'06"W

Begin R/W Transition Lt.
P.T. Sta. 432 + 27.55

End R/W Transition Lt.
Sta. 495 + 00.00

495

℄ MAINT. R/W LINE

50'

30'

20'

1961 R-32

77°42'30" T.C.

16' Tot. B. Borrow Canal

18' Borrow, 5' Top Spoil

2595.35' (M)

2" I.P. Sec. Cor.

9 4
10 3

CURVE DATA
P.I. STA. 488 + 46.75
Δ = 23°01'10" RT.
D = 3°00'
T = 391.51'
L = 772.31'
R = 1909.86'
P.C. STA 484 + 55.24
P.T. STA 492 + 27.55

End R/W Transition Lt.
P.C. Sta. 484 + 55.24

485

3°00' CURVE RT.

P.C.

N 23°10'16"W

6 YEAR CITRUS GROVE

Note: ⊙ R/W Mrk.--
Symbol For Permanent R/W Marker
See Sheet No. 1 For Details

INSERT
PARNELL ROAD

(F) INDICATES FIELD DIMENSION.

STATE OF FLORIDA
STATE ROAD DEPARTMENT

RIGHT OF WAY MAP

STATE ROAD NO. S-671 HARDEE COUNTY

	BY	DATE
DRAWN	L.R.J.	3-14-67
TRACED	R.L.H.	4-11-67
CHECKED	D.C.	4-25-67
COMPARED	R. Cannon	9-14-71
INDEXED		

APPROVED BY: [signature] DISTRICT ENGINEER — DATE
[signature] ENGINEER OF RIGHTS OF WAY — 9-22-71
STATE HIGHWAY ENGINEER

R.R.W.M. & Note, M.L.D. 1-17-75
REVISION | BY | DATE

SECTION. 06503-2601 SHEET 8 OF